

Deep long-lasting hydration*
with the help of JUVÉDERM®
VOLITE™ 1-3



HYDRAIE

*Cheek skin hydration measured at depths of 0.5 and 1.5 mm showed statistically significant improvements from baseline at Months 1, 4, 6 and 9 after initial/touch-up treatment and after repeat treatment.²

Long lasting is up to 9 months following a single treatment.² 70.6% of patients (n=127) reported being satisfied/somewhat satisfied with how hydrated their skin was at Month 9 after treatment.²



Our skin is more than just skin. It's the foundation of our appearance. Poor skin quality may negatively impact a person's emotional health, quality of life, self-perception and interactions with others.⁴

But what's the secret to healthy looking skin?



HYDRATION THAT'S DEEPER BY DESIGN

Hydration is an important aspect of healthy looking skin.^{4,5}

JUVÉDERM® VOLITE™ can help improve skin quality attributes such as hydration and elasticity.¹,²

Various attributes contribute to overall skin quality, such as hydration, texture or roughness, fine lines and elasticity.² Improving skin quality components can require a holistic, multilayer treatment strategy, and deep tissue supporting treatments that can affect skin surface.⁶

Hydrate

Juvéderm[®] VOLITETM increases the level of hydration in your skin as the hyaluronic acid present binds and retains water molecules.⁴





Longer

JUVÉDERM® VOLITE™ offers long-lasting hydration for up to 9 months, increasing hydration where it's needed to

improve skin smoothness and elasticity after just one treatment.^{1,2}

Following a single treatment, aquaporin-3,* a hydration marker, showed increased epidermal expression at Months 1 and 3.^{†8}

Ready to discover healthy looking, hydrated skin?

Speak to your Health Care Practitioner today.



*Aquaporins are channels in the skin that control the levels of water and glycerol to help maintain hydration.

†Data derived from a prospective, nonrandomized, interventional, open-label study where 11 healthy men (n = 2) and women (n = 9) received intradermal VYC-12L treatment on the volar forearm. Clinical probes assessed skin quality at baseline and months 1 and 3 post-treatment. Punch biopsies were collected 1 and 3 months post-treatment to evaluate histologic and genomic changes.8

Discover JUVÉDERM® VOLITÉM experience, quality and innovation

Considering treatment? Here are your most frequent questions, answered.

What can JUVÉDERM® VOLITE™ help with?

Following your JUVÉDERM® VOLITE™ treatment, you may see considerable improvements to your skin texture, hydration and elasticity.¹²

Does one treatment make a difference?

Just one treatment with JUVÉDERM® VOLITE™ offers long-lasting improvements in skin texture and hydration.*2

What happens during my appointment?

To help you decide whether JUVÉDERM® VOLITE™ is right for you, your Health Care Practitioner will take the time to understand your beauty goals and aspirations, before discussing a bespoke treatment plan. Depending on what you decide, a single treatment session lasts from 20 minutes to an hour. Description

What does the treatment feel like?

JUVÉDERM® VOLITE™ contains Lidocaine, a mild local anaesthetic that helps numb the site of injection.¹

When can I get back to my day?

With the possibility of minimal downtime, depending on your JUVÉDERM® VOLITE™ treatment, you may get back to doing the things you love on the following day.³

Any dos & don'ts?

Following your treatment, your Health Care Practitioner may advise against wearing makeup on your treated area, spending extended periods in the sun, saunas, UV (ultraviolet) rays or very cold temperatures.¹





Treatment with JUVÉDERM® VOLITE™ led to significant improvements in smoothness for 6 months (in the cheek) and hydration over 9 months. Instrument measures of skin hydration, smoothness, and skin deformation parameters were performed on the cheek, forehead, and neck of one side of the face on day o and at 30 days after initial treatment (before touch-up), months 1, 4, 6, and 9 after the last treatment, and month 1R. Skin hydration was measured using the MoistureMeterD instrument (n=131).²

Over 90% of patients were satisfied with the results of their JUVÉDERM® VOLITETM treatment at 1 month*3




HYDRATING RESULTS



*Study conducted without lidocaine.¹⁰ JUVÉDERM® VOLITE™ contains lidocaine.¹ The addition of lidocaine does not alter the product's physical properties.¹¹ Responses were rated on a 4-point scale (1: very dissatisfied, 4: very satisfied). FACE-Q Satisfaction with Skin score was calculated by summing the responses to the 12 items and converting to a scale score (range: 0–100). Based on a FACE-Q Satisfaction with Skin score of 76.4% of patients (N=127) at Month 9.³

Healthy looking skin starts with hydration. Hydration benefits are felt with the help of JUVÉDERM® VOLITETM.^{1,2}



DEPER

* Please note that as per the Medical Device Regulation requirements, a summary of safety information is mandatory for fillers. Countries should refer to their local DFU for a full list of side effects.

Materials provided by Allergan Aesthetics, an AbbVie company under a license agreement. This content is intended for adult (>18yrs) audience only. You should always consult a healthcare professional to help you decide if JUVEDERM® is right for you and provide you with a full list of side effects. Current approved Directions for Use are available upon request with Allergan Aesthetics an AbbVie company. Adverse events should be reported to your local regulatory authority and Allergan Aesthetics Office an AbbVie Company ProductSurveillance_EAME@

Model treated with JUVEDERM®. Actual results may vary. Images are for illustrative purposes only. © 2021 AbbVie. All rights reserved. All trademarks are the property of their respective owners

References:

abbvie.com.

- 1. Juvéderm® VOLITE DFU. 73655JR10. Revision 2019-09-09.
- 2. Niforos F et al. Clin Cosmet Investig Dermatol. 2019;12:791–98.
- Ogilvie P et al. J Cosmet Dermatol. 2020;19:1065-70.
 Humphrey S et al. Dermatol Surg. 2021;41:974-81.
- 5. Michalak et al. Nutrients. 2021; 13:203.

- 6. Goldie K et al. Clin Cosmet Investig Dermatol. 2021;14:643-54.
- 7. Cavallini M et al. Dermatol Surg. 2019;45:1598–604.8. Safa M et al. Clin Cosmet Investig Dermatol. 2022;15:411–26.
- 9. Lipko-Godlewska S et al. Clin Cosmet Investig Dermatol. 2021;14:169–178.